Biosan SIA, Ratsupites iela 7 k-2, Riga, Latvia, LV-1067
E-mail: marketing@biosan.lv, www.biosan.lv
Phone:+37167426137

R-6, rotor

DESCRIPTION

Swing-out rotor for conical bottom centrifuge tube. Aluminium buckets.



SPECIFICATIONS

Tube holders material	Aluminium
Rotor type	Swing-out
Tube dimensions (Ø × length)	29 × 115 mm
Capacity	6
Tube's volume	50 ml
Max. speed	4200 rpm
Max. RCF: LMC-3000	1610 × g
Max. RCF: LMC-4200R	3160 × g
Tube manufacturers	Falcon, Greiner Bio-one, Sarstedt, Corning, Nunc, etc.
Autoclavable	+

CAT. NUMBER

BS-010208-DK	Rotor R-6

ACCESSORIES



LMC-3000
Without rotor
Laboratory Centrifuge

LMC-3000 is a modern low-speed bench-top centrifuge designed for operation with microtest plates and centrifuge tubes up to 50 ml. This device is widely used in biomedical profile laboratories.

Features: ...

read more



LMC-4200R
Without rotor
Refrigerated Laboratory Centrifuge

Laboratory bench-top centrifuge with refrigeration **LMC-4200R** provides temperature control of biomaterial during centrifugation. Temperature control of the so-called "cold-shelf" is a gold standard for enzymologists and cell biologists because it ...

read more



BI-25-6
BS-010221-VK
adapter set

For rotors R-6, R-6P, Ri-6, Ri-6P optional insert set (6 pcs) - BI-25-6 for 25 ml conical tubes



RR-U
BS-010208-UK
rack for rotors

Rack for rotors